





LEGERFOIL INSULATION

Insulation panel Legerlite type I, with an integrated reflective vapour barrier for interior basement walls.

This product offers the protection of a vapour barrier and the benefit of the added reflective R-value to the existing thermal resistance of the insulation.

Legerfoil contains recycled material and is certified ECOLOGO for a healthy Building.

VALIDATED ECO-DECLARATION

PRODUCT SPECIFICATIONS	ENVIRONMENTAL IMPACTS	TECHNICAL PERFORMANCES
References Insulation Panel Type I - 4' x 8' x 2" (R-11) et 4' x 8' x 3" (R-18)	Life Cycle Assessment -	Performance tests CAN/ULC-S701 CCMC 12984-L CCMCAN/CGSB 51.33-M89 ECOLOGO UL 2985
Final manufacturing location Pointe-Claire, QC H9R 1B7 CANADA	Reference service life -	MANUFACTURER'S ENVIRONMENTAL MANAGEMENT
Composition EPS Type I, recycled EPS, reflective vapor barrier, adhesive.	Product's carbon footprint -	
ATTRIBUTES	Environmental Product Declaration ISO 14025:2006 -	ISO 14001 Certification -
	INGREDIENTS AND EMISSIONS	Extended Product Responsibility (Take Back Program) -
Recycled content Pre-consumer: 6.5% Post-consumer: 0%	Declaration of chemical ingredients 1,000 ppm	Corporate Sustainability Report (CSR: GRI, ISO 26000, BNQ 21000 or others) -
Sourcing of raw materials Data collection from suppliers has been conducted for the products components aligned with each specific environmental analysis.	Type of declaration HPD® version 2.2 Health Product Declaration® March 2022 to March 2025	CERTIFICATION(S) & CONFORMITIES  
Certified Wood -	Emissions test -	
Rapidly renewable materials -	VOC (Adhesive factory applied) 0 g/L	
Biobased materials -	Formaldehyde -	
	Others -	

Established in 1961, Le Groupe Legerlite is a pioneer in the expanded polystyrene industry. We offer a wide range of proven insulation solutions for building envelopes, roads and specialised products. Legerlite's mission is to offer superior quality products and services that are tailored to the needs of our customers.

5901, Transcanadienne Street, Pointe-Claire QC H9R 1B7 CANADA
www.legerlite.ca

Master Format : 07 21 13
 Validated Eco-Declaration : **VED18-1031-02**
 Original issue date : 2018/02
 Period of validity : 2022/02 to 2023/02
 ©Copyright 2016 Vertima inc.



ENVIRONMENTAL DATA SHEET

LEGERFOIL INSULATION



PRODUCT CONTRIBUTION SUMMARY

LEED® v4 requirements for Building Design + Construction (BD+C)

New Construction, Core and Shell, Schools, Retail, Data Centers, Warehouse and Distribution Centers, Hospitality and Healthcare.

LEED® v4 requirements for Interior Design + Construction (ID+C)

Commercial Interiors, Retail and Hospitality.

MATERIALS AND RESOURCES		PRODUCT CONTRIBUTIONS	
MR	Building Product Disclosure and Optimization – Sourcing of Raw Materials Option 2: Leadership extraction practices (1 point) Requirements - Use products that meet at least one of the responsible extraction criteria: Recycled content, Wood products Certification, Bio-based materials, Extended producer responsibility.	Contribute	ATTRIBUTES Recycled Content: Pre-consumer: 6.5% Post-consumer: 0%
MR	Building Product Disclosure and Optimization – Material Ingredients Option 1: Material ingredients reporting (1 point) The product contributes to this credit due to the availability of Health Product Declarations®. They are valued as 1 whole product out of the 20 needed for the purposes of credit achievement.	Contribute	INGREDIENTS AND EMISSIONS HPD® version 2.2 Health Product Declaration®
INDOOR ENVIRONMENTAL QUALITY		PRODUCT CONTRIBUTIONS	
EQ	Low-Emitting Materials Option 1: Product category calculation (1-3 points) Number of points is dependent on the LEED® rating system and the number of compliant categories. (Ceilings, walls, thermal, and acoustic insulation) For the Ceilings, Walls, Thermal, and Acoustic Insulation category, 100 % of ceilings, walls, thermal, and acoustic insulation must meet the general emissions evaluation. For Healthcare and Schools, batt-insulation must also comply with additional formaldehyde requirements.	Do not Contribute ¹	INGREDIENTS AND EMISSIONS ¹ Must be tested and determined compliant to the California Department of Public Health (CDPH) Standard Method v1.1-2010. (LegerFoil Insulating does not contain any added formaldehyde, including urea formaldehyde, phenol formaldehyde, and urea-extended phenol formaldehyde.)

It is important to consider that the total amount of possible points reflects the number of achievable points in each credit category. The product itself cannot achieve this score, as defined above, but is considered as a beneficial element in order to achieve LEED® credits.

The data included in this Environmental Data Sheet has been provided by the client and the suppliers, who are responsible for its veracity and its integrity. Vertima follows a rigorous protocol, including an on-site audit of the factory, an audit of the manufacturer's supply chain documentation, and the analysis and validation of all supporting documents. However, Vertima cannot be held responsible for false or misleading information that may cause any loss or damage suffered, caused in all or in part, by errors and omissions relative to the collection, compilation and/or interpretation of data.

Validated Eco-Declaration:

VED18-1031-02

Period of validity:

2022/02 to 2023/02

©Copyright 2016 Vertima inc.

